




Securing and Supplying Data for
Advanced Monitoring Systems
June 1, 2016

History

AutoSol has provided solutions to SCADA and EFM/AMR for over 25 years. During this time we have expanded our operations from system integration to development of software and software services to meet the demands of a shifting and ever-changing industry.

Offices:

- Houston, TX – Headquarte
- San Antonio, TX
- Farmington, NM
- Calgary, AB



 **AUTO SOL**®

AutoSol Communication Manager

- OPC Server
- 2 Versions: Real-time only or Full Access
- Communicates with different manufacturer SCADA and utility metering devices
- Multiple protocols, over a single or multiple telemetry circuits. No hard limit to the number of;
 - Protocols an ACM installation can utilize simultaneously, or
 - Circuits an ACM installation can utilize simultaneously.
- Primary / Secondary communication path with auto fail-over
- Local and Remote configuration
- Multi-client configuration
- Configuration API

AutoSol Communication Manager


Native Protocols

- ABB Totalflow
- Allen Bradley DF1, ControlLogix, Micrologix
- Barton Scancom
- Benchmark Bristol IP
- Daniels DSI
- Eagle Research
- Emerson Bristol Babcock BSAP
- Emerson (Fisher) FloBoss
- Emerson (Fisher) ROC
- GE SRTP Kimray
- OMNI Flow Computers
- Schneider Electric SCADAPack
- Thermo Automation
- And others...

Modbus Protocols

- Daniels
- DynaPump
- Enron
- Emerson Bristol
- Emerson (Fisher) FloBoss
- Emerson (Fisher) ROC
- Flow Automation
- GE Multilin
- Hallibuton
- Lufkin SAM
- Modbus/TCP
- PCS Plunger Lift
- Schneider Electric SCADAPack

- Plug and Play device
- Transparent to legacy software
- Developed specifically for Industrial Applications



CryptoMod



- Dedicated to encrypting and decrypting messages exchanged between the host and control and metering field instruments
- Permanently installed in the same enclosure as the field instrument to monitor and secure access
- Dual Serial and Ethernet ports and can act as a Terminal Server.
- Logs events and configuration changes to its archives in memory
- Operates in mixed-mode operation for secure and unsecure sites
 - Does not require system restart
- Does not require ACM



Questions?

Contact me at:

Lee Cysouw
lcysouw@autosoln.com
587-315-6128

www.autosoln.com

The logo for AutoSol, featuring three horizontal lines to the left of the word "AutoSol" in a bold, sans-serif font, followed by a registered trademark symbol (®).